

Quantity of Electricity Produced and Required for the State.

*Q.—449. Sri S. SIVAPPA (Sravanabelagola).—

Will the Government be pleased to state:—

- (a) The quantity of Electricity produced in the State ;
- (b) The required quantity of Electricity for the State.
- (c) The arrangements they have made to make up the deficit ;
- (d) How long would it take to fill up this deficiency.

A.—Sri S. NIJALINGAPPA (Chief Minister).—

(a) Category of Power	Installed Capacity. Kws.	Firm Capacity. Kws.
(i) Hydro Electric power.	2,06,200	1,59,300.
(ii) Diesel.	7,124	3,400.

(b) The immediate requirements of additional power which cannot be catered to by the existing supply system is of the order of 80,000 Kw.

(c) The installation of two Oil fired Gas turbine package plant sets with a capacity of 10,000 Kws each has been proposed and the two package sets are expected to be commissioned during the second half year of 1963. Further, the completion of the Bhadra Hydro Electric Project, the commissioning of the Third Generator of T. B. Hydro-Electric Project and the completion of the first stage of the Sharavathy Valley Project are being expedited.

(d) The inadequacy of power in relation to the present demand may cease after the first two stages of the Sharavathi-Valley Project are completed towards the end of the third Five Year Plan,

Estimates of Bharamanaikanadurga Tank and Dugganahal Tank.

*Q.—454. Sri G. DUGGAPPA (Holalkere).—

Will the Government be pleased to state:—

- (a) when the estimates of the following works were sanctioned ;
 - (i) Bharamanaikanadurga Tank.
 - (ii) Dugganahal Tank.
- (b) whether the above works were started ;
- (c) whether the above works have not been stopped ; if so, the reasons therefor ?

A.—Sri ALUR HANUMANTHAPPA (Deputy Minister for Minor Irrigation).—

- (a) During 1956
- (b) Yes.
- (c) Yes.

(SRI A. LUR HANUMANTHAPPA)

Due to bad foundations met with during execution and consequent change in design and also due to very slow progress of the contractors.

Complaints from Municipal Councillors of Mysore City and Davanagere City for superseding the respective Municipalities.

*Q.—456. Sri S. SIVAPPA (Sravanabelagola).—

Will the Government be pleased to state :—

(a) whether they have received any written complaints from the respective Municipal Councillors of Mysore City and Davanagere City for superseding the respective Municipalities ;

(b) if so, when were they received ;

(c) the action taken by them on such complaints ;

(d) whether any enquiry has been instituted in this behalf ; and

(e) if so, when and with what result ?

A.—Sri K. PUTTASWAMY (Minister for Municipal Administration).—

(a) Yes.

(b) In the case of Mysore City Municipality the complaint petition was received from certain Municipal Councillors on the 15th October 1962, while in the case of Davanagere Municipality a similar petition was received on the 30th, August 1962.

(c) (i) The complaint petition in respect of Mysore Municipality, contained baseless allegations. Hence it was decided not to take any action on the petition.

(c) (ii), (d), (e) : So far as the complaint petition in respect of the City Municipal Council, Davanagere was concerned, an Enquiry Officer was appointed to enquire into the complaints. After having conducted the enquiry from 29-9-1962 to 4-10-1962 the Enquiry Officer submitted his report to Government on 11-10-1962, as a result of which a show cause notice was issued to the Davanagere Municipal Council on 19-11-1962 as to why it should not be superseded. The reply from the Municipal Council is being scrutinised.

Breach of Chikkayemmiganur tank and the repairs thereto.

*Q.—458. Sri G. DUGGAPPA (Holalkere).—

Will the Government be pleased to state :—

(a) When the Chikkayemmiganur tank in Holalkere Taluk was breached ;